



CATÁLOGO

SISTEMA DUPLA ROSCA

Parafusos Linha

2.5 / 2.8 / 3.5 / 4.5 / 5.5
6.5 / 7.5

Screw Line Thread Double System

2.5 / 2.8 / 3.5 / 4.5 / 5.5 / 6.5 / 7.5

Tornillo Línea System Doble Rosca

2.5 / 2.8 / 3.5 / 4.5 / 5.5 / 6.5 / 7.5

Parafuso de compressão DR 2.5

DR Compression Screw 2.5

Tornillo de compresión DR 2.5



Autocortante



Autocortante



Fio guia



Parafuso de Compressão DR Ø2.5

DR Compression Screw 2.5

Tornillo de compresión DR 2.5

- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8
- Ø2.5 x 1.8

Código

Code

Código

- 25.2119.010
- 25.2119.012
- 25.2119.014
- 25.2119.016
- 25.2119.018
- 25.2119.020
- 25.2119.022
- 25.2119.024
- 25.2119.026
- 25.2119.028
- 25.2119.030



Fresa Proximal



Fresa Distal



Instrumental parafuso compressão DR 2.5

Instrumental screw compression DR 2.5

Instrumental tornillo compresión DR 2.5



Cabo de Chave - Amarelo
Key Cable - Yellow
Cable de Llave - Amarillo
09.00.052



Ponta de Chave Canulada Sextavada 1.5mm
Hexagonal Cannulated Wrench Tip 1.5mm
Punta de Llave Canulada Sextavada 1.5mm
08.00.046



Ponta de Chave Sextavada 1.5mm
Hexagonal Wrench Tip 1.5mm
Punta de Llave Sextavada 1.5mm
08.00.047



Broca Ø1.0 DR 2.5
DR 2.5 Drill Ø1.0
Broca Ø1.0 DR 2.5
05.10.013



Fio Guia Ø 0,7
Guide Wire Ø0,7
Alambre Guía Ø0,7
15.00.031



Cabo Guia de Brocas DR 2.5
Cable of the Guides DR 2.5
Cabo de los Guías Sistema DR 2.5
09.00.055



Fresa Canulada Distal Ø 1.4mm DR 2.5
Cannulated Distal Drill Ø 1.4mm DR 2.5
Fresa Canulada Distal Ø 1.4mm DR 2.5
07.00.041



Fresa Canulada Proximal DR 2.5
Proximal DR 2.5 Cannulated Milling Cutter
Fresa Canulada Proximal DR 2.5
07.00.039



Medidor de Profundidade do Fio Guia
Wire Depth Gauge DR 2.5
Medidor de Profundidad del Cable Guia
1.11.05.50.11.095



Pinça Intercambiável DR 2.5
Interchangeable Tweezers DR 2.5
Pinza Intercambiable DR 2.5
12.00.058




Pinça de Redução SC
Reduction Clamp SC
Pinza de Reducción SC
1.42.05.30.07.138



Chave Sextavada Allen
Allen Wrench
Llave Sextavada
10.00.030



Caixa 33
Case 33
Caja 33
32.00.030



Disposição DR 2.5
DR Disposition 2.5
Disposición DR 2.5
31.00.022



Estojo DR 2.5
DR 2.5 Case
Estuche DR 2.5
30.00.082

Parafuso de compressão DR 2.8

DR Compression Screw 2.8

Tornillo de compresión DR 2.8



Autocortante



Autocortante



Fio guia



Parafuso Herbert Canulado Ø2.8

Ø2.8 Cannulated Herbert Screw
Tornillo Herbert Canulado Ø2.8

- Ø2.8 x 10mm
- Ø2.8 x 12mm
- Ø2.8 x 14mm
- Ø2.8 x 16mm
- Ø2.8 x 18mm
- Ø2.8 x 20mm
- Ø2.8 x 22mm
- Ø2.8 x 24mm
- Ø2.8 x 26mm
- Ø2.8 x 28mm
- Ø2.8 x 30mm

Código

Code

Codigo

- 1.36.28.21.90.010
- 1.36.28.21.90.012
- 1.36.28.21.90.014
- 1.36.28.21.90.016
- 1.36.28.21.90.018
- 1.36.28.21.90.020
- 1.36.28.21.90.022
- 1.36.28.21.90.024
- 1.36.28.21.90.026
- 1.36.28.21.90.028
- 1.36.28.21.90.030



Fresa Proximal



Fresa Distal



Instrumental parafuso compressão DR 2.8

Instrumental screw compression DR 2.8

Instrumental tornillo compresión DR 2.8



Cabo de Chave - Lilás
Key Cable - Lilac
Cable de Llave - Lila
09.00.050



Ponta de Chave Canulada Sextavada 1.5mm
Hexagonal Cannulated Wrench Tip 1.5mm
Punta de Llave Canulada Sextavada 1.5mm
08.00.046



Ponta de Chave Sextavada 1.5mm
Hexagonal Wrench Tip 1.5mm
Punta de Llave Sextavada 1.5mm
08.00.047



Broca Ø1,3 DR 2.8
DR 2.8 Drill Ø1.3
Broca Ø1.3 DR 2.8
05.13.001



Fio Guia Ø 0.9
Guide Wire Ø0.9
Alambre Guía Ø0.9
15.00.032



Cabo Guia de Brocas DR 2.8
Cable of the Guides DR 2.8
Cabo de los Guías Sistema DR 2.8
09.00.040



Fresa Canulada Distal Ø 1.8mm DR 2.8
Cannulated Distal Drill Ø 1.8mm DR 2.8
Fresa Canulada Distal Ø 1.8mm DR 2.8
07.00.061



Fresa Canulada Proximal DR 2.8
Proximal DR 2.8 Cannulated Milling Cutter
Fresa Canulada Proximal DR 2.8
07.00.040



Medidor de Profundidade do Fio Guia
Wire Depth Gauge
Medidor de Profundidad del Cable Guia
1.11.05.50.11.095



Pinça Intercambiável DR 2.8
Interchangeable Tweezers DR 2.8
Pinza Intercambiable DR 2.8
12.00.057




Pinça de Redução SC
Reduction Clamp SC
Pinza de Reducción SC
1.42.05.30.07.138



Chave Sextavada Allen
Allen Wrench
Llave Sextavada
10.00.030



Caixa 14
Case 14
Caja 14
32.00.008



Disposição DR 2.8
DR Disposition 2.8
Disposición DR 2.8
31.00.021



Estojo DR 2.8
DR 2.8 Case
Estuche DR 2.8
30.00.052

Parafuso de compressão DR 3.5

DR Compression Screw 3.5

Tornillo de compresión DR 3.5



Autocortante



Autocortante



Fio guia



Parafuso Tipo Herbert Canulado Ø3.5

Ø3.5 Cannulated Herbert Screw

Tornillo Herbert Canulado Ø3.5

- Ø3.5 x 10mm
- Ø3.5 x 12mm
- Ø3.5 x 14mm
- Ø3.5 x 16mm
- Ø3.5 x 18mm
- Ø3.5 x 20mm
- Ø3.5 x 22mm
- Ø3.5 x 24mm
- Ø3.5 x 26mm
- Ø3.5 x 28mm
- Ø3.5 x 30mm

Código

Code

Código

- 1.36.35.21.19.010
- 1.36.35.21.19.012
- 1.36.35.21.19.014
- 1.36.35.21.19.016
- 1.36.35.21.19.018
- 1.36.35.21.19.020
- 1.36.35.21.19.022
- 1.36.35.21.19.024
- 1.36.35.21.19.026
- 1.36.35.21.19.028
- 1.36.35.21.19.030



Fresa Proximal



Fresa Distal



Instrumental parafuso canulado

Cannulated screw instrumental

Instrumental tornillo canulado



Cabo de Chave - Verde
Key Cable - Green
Cable de Llave - Verde
09.00.049



Ponta de Chave Canulada 1.5mm
Cannulated Wrench Tip 1.5mm
Punta de Llave Canulada 1.5mm
1.16.05.15.35.118



Ponta de Chave Sextavada 1.5mm
Hexagonal Wrench Tip 1.5mm
Punta de Llave Sextavada 1.5mm
08.00.047



Broca Ø1.6 Sistema Herbert
Drill Ø1.6 Herbert System
Broca Ø1.6 Sistema Herbert
1.34.05.16.35.109



Fio Guia Liso Ø 0,9 Sistema Herbert 3.5
Flat Guide Wire Ø 0.9 Herbert System 3.5
Alambre Guía Liso Ø 0,9 Sistema Herbert 3.5
1.38.05.09.36.150



Fresa Canulada Sistema Herbert 3.5 Proximal
Proximal 3.5 Cannulated Milling Cutter Herbert System
Fresa Canulada Sistema Herbert 3.5 Proximal
07.00.046



Fresa Canulada Ø 2.0 Sistema Herbert 3.5
Cannulated Milling Cutter Ø2.0 Herbert System
Fresa Canulada Ø 2.0 Sistema Herbert 3.5
1.00.05.35.20.080



Conjunto Macho Sistema Herbert Ø 3.5mm
Set Herbert Ø 3.5mm System Male
Conjunto Macho Sistema Herbert Ø 3.5mm
1.34.05.25.25.170



Chave Sextavada Allen
Allen Wrench
Llave Sextavada
1.00.030



Conjunto Guia de Broca Duplo Sistema Herbert
Herbert Double Drill Guide Set
Conjunto Guia de Broca Doble Sistema Herbert
1.30.00.45.12.115



Pinça de Redução SC
Reduction Clamp SC
Pinza de Reducción SC
1.42.05.30.07.138



Pinça para Parafuso Herbert 3.5
Tweezers for Screw Herbert 3.5
Pinza para Tornillo Herbert 3.5
12.00.048



Medidor de Profundidade do Fio Guia
Wire Depth Gauge Guide
Medidor de Profundidad del Cable Guía
1.11.05.50.11.095



Conjunto Caixa Sistema Herbert 3.5/4.5
Herbert System Case Set 3.5 / 4.5
Conjunto Caja Sistema Herbert 3.5/4.5
1.00.40.35.84.455



Conjunto Disposição de Instrumentais Sistema Herbert 3.5/4.5
Instrumental Arrangement Set Herbert System 3.5 / 4.5
Conjunto Disposición de Instrumentales Sistema Herbert 3.5/4.5
1.00.00.35.18.280




Conjunto Estojo Sistema Herbert 3.5/4.5
Set Case Sistema Herbert 3.5 / 4.5
Conjunto Estuche Sistema Herbert 3.5/4.5
1.00.00.30.19.190

Parafuso de compressão DR 4.5

DR Compression Screw 4.5

Tornillo de compresión DR 4.5



Autocortante



Autocortante



Fio guia



Parafuso Tipo Herbert Canulado Ø4.5

Cannulated Herbert Screw ø4.5

Tornillo Herbert Canulado ø4.5

- Ø4.5 x 14mm
- Ø4.5 x 16mm
- Ø4.5 x 18mm
- Ø4.5 x 20mm
- Ø4.5 x 22mm
- Ø4.5 x 24mm
- Ø4.5 x 26mm
- Ø4.5 x 28mm
- Ø4.5 x 30mm
- Ø4.5 x 32mm
- Ø4.5 x 34mm
- Ø4.5 x 36mm
- Ø4.5 x 38mm
- Ø4.5 x 40mm
- Ø4.5 x 45mm
- Ø4.5 x 50mm
- Ø4.5 x 55mm
- Ø4.5 x 60mm
- Ø4.5 x 65mm
- Ø4.5 x 70mm

Código

Code

Codigo

- 1.36.45.21.19.014
- 1.36.45.21.19.016
- 1.36.45.21.19.018
- 1.36.45.21.19.020
- 1.36.45.21.19.022
- 1.36.45.21.19.024
- 1.36.45.21.19.026
- 1.36.45.21.19.028
- 1.36.45.21.19.030
- 1.36.45.21.19.032
- 1.36.45.21.19.034
- 1.36.45.21.19.036
- 1.36.45.21.19.038
- 1.36.45.21.19.040
- 1.36.45.21.19.045
- 1.36.45.21.19.050
- 1.36.45.21.19.055
- 1.36.45.21.19.060
- 1.36.45.21.19.065
- 1.36.45.21.19.070



Fresa Proximal



Fresa Distal



Instrumental parafuso canulado

Cannulated screw instrumental

Instrumental tornillo canulado



Cabo de Chave - Azul
Key Cable - Blue
Cable de Llave - Azul
09.00.053



Ponta de Chave 2.0mm
Wrench Tip 2.0mm
Punta de Llave 2.0mm
1.30.07.18.50.118



Ponta de Chave Canulada 2.0mm
Cannulated Wrench Tip 2.0mm
Punta de Llave Canulada 2.0mm
1.16.05.20.40.118



Broca Ø2,2 Sistema Herbert 6.5
Drill Ø2.2 Herbert System 6.5
Broca Ø2.2 Sistema Herbert 6.5
1.34.05.22.35.150



Fio Guia Liso Ø 0,9 Sistema Herbert 3.5
Flat Guide Wire Ø 0.9 Herbert System 3.5
Alambre Guía Liso Ø 0,9 Sistema Herbert 3.5
1.38.05.09.36.150



Fresa Canulada Distal Sistema DR 4.5
Distal Cannulated DR System 4.5
Fresa Canulada Distal Sistema DR 4.5
07.00.069



Fresa Canulada Sistema Herbert 4.5 Proximal
Proximal Milling Cutter Herbert System ø4.5
Fresa Canulada Sistema Herbert 4.5 Proximal
07.00.047



Conjunto Macho Sistema Herbert Ø 4.5mm
Set Herbert Ø 4.5mm System Male
Conjunto Macho Sistema Herbert Ø 4.5mm
1.34.05.35.45.170



Chave Sextavada Allen
Allen Wrench
Llave Sextavada
1.00.030



Conjunto Guia de Broca Duplo Sistema Herbert
Herbert Double Drill Guide Set
Conjunto Guia de Broca Doble Sistema Herbert
1.30.00.45.12.115



Pinça de Redução SC
Reduction Clamp SC
Pinza de Reducción SC
1.42.05.30.07.138



Pinça para Parafuso Herbert 4.5
Tweezers for Screw Herbert 4.5
Pinza para Tornillo Herbert 4.5
12.00.051



Medidor de Profundidade do Fio Guia
Wire Depth Gauge Guide
Medidor de Profundidad del Cable Guía
1.11.05.50.11.095



Conjunto Caixa Sistema Herbert 3.5/4.5
Herbert System Case Set 3.5 / 4.5
Conjunto Caja Sistema Herbert 3.5/4.5
1.00.40.35.84.455



Conjunto Disposição de Instrumentais Sistema Herbert 3.5/4.5
Instrumental Arrangement Set Herbert System 3.5 / 4.5
Conjunto Disposición de Instrumentales Sistema Herbert 3.5/4.5
1.00.00.35.18.280



Conjunto Estojo Sistema Herbert 3.5/4.5
Set Case Sistema Herbert 3.5 / 4.5
Conjunto Estuche Sistema Herbert 3.5/4.5
1.00.00.30.19.190

Parafuso de compressão DR 5.5

DR Compression Screw 5.5

Tornillo de compresión DR 5.5




Fio Guia Ø1,2mm
Guide wire Ø 1,2
Alambre Guia Ø 1,2

Auto cortante
Self-healing
Auto cortante



Passo da rosca 1,0mm
Thread pitch 1,0mm
Paso de la rosca 1,0mm

Passo da rosca 1,5mm
Thread pitch 1,5mm
Paso de la rosca 1,5mm



Autocortante



Autocortante



Fio guia



Parafuso de Compressão DR 05.5

DR Compression Screw ø5.5

Tornillo de compresión DR ø5.5

Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5
Ø5.5 x 4.5

Código

Code

Código

55.2119.014
55.2119.016
55.2119.018
55.2119.020
55.2119.022
55.2119.024
55.2119.026
55.2119.028
55.2119.030
55.2119.032
55.2119.034
55.2119.036
55.2119.038
55.2119.040
55.2119.045
55.2119.050
55.2119.055
55.2119.060
55.2119.065
55.2119.070



Fresa Proximal



Fresa Distal



Instrumental parafuso compressão DR 5.5

Instrumental screw compression DR 5.5

Instrumental tornillo compresión DR 5.5



Cabo de Chave - Amarelo
Key Cable - Yellow
Cable de Llave - Amarillo
09.00.052



Ponta de Chave Canulada 2.5mm
Cannulated Wrench Tip 2.5mm
Punta de Llave Canulada 2.5mm
1.16.05.25.50.118



Conjunto Macho Sistema Herbert 5.5
Male Set Herbert System 5.5
Conjunto Macho Sistema Herbert 5.5
1.34.05.55.45.170



Broca Ø1.6 DR 5.5
DR 1.6 Drill Ø5.5
Broca Ø1.6 DR 5.5
05.16.036



Fio Guia Ø 1.2
Guide Wire Ø1.2
Alambre Guia Ø1.2
15.00.034



Conjunto Guia de Broca Duplo Sistema Herbert 5.5
Herbert Double Drill Guide Set 5.5
Conjunto Guia de Broca Doble Sistema Herbert 5.5
1.30.00.55.12.115



Fresa Canulada Sistema Herbert 5.5 Proximal
Proximal 5.5 Cannulated Milling Cutter Herbert System
Fresa Canulada Sistema Herbert 5.5 Proximal
07.00.048



Cabo "T" Engate Rápido - Amarelo
T Cable Quick Hitch - Yellow
Cabo "T" Enganche Rápido - Amarillo
1.00.00.03.48.070



Medidor de Profundidade do Fio Guia
Wire Depth Gauge Guide
Medidor de Profundidad del Cable Guia
1.11.05.50.11.095



Fresa Canulada Distal Sistema DR 5.5
Cannulated Distal Drill DR 5.5 System
Fresa Canulada Distal Sistema DR 5.5
07.00.070



Pinça de Redução SC
Reduction Clamp SC
Pinza de Reducción SC
1.42.05.30.07.138




Chave Sextavada Allen
Allen Wrench
Llave Sextavada
10.00.030



Pinça do Parafuso Sistema Herbert 5.5
Tweezers for Screw Herbert 5.5
Pinza para Tornillo Herbert 5.5
1.30.05.55.45.080



Caixa Sistema Herbert 5.5
Herbert System Set 5.5
Caja Sistema Herbert 5.5
1.00.00.55.84.455



Conjunto Disposição Sistema Herbert 5.5
Set System Arrangement Herbert 5.5
Conjunto Disposición Sistema Herbert 5.5
1.00.00.55.18.280





Conunto Estojo Sistema Herbert 5.5
Herbert System Case Kit 5.5
Conjunto Estuche Sistema Herbert 5.5
1.00.00.55.19.190

Parafuso de compressão DR 6.5

DR Compression Screw 6.5

Tornillo de compresión DR 6.5



Autocortante



Autocortante



Fio guia



Parafuso de Compressão DR Ø6.5

Ø6.5 DR Compression Screw
Tornillo de compresión DR ø6.5

- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5
- Ø6.5 x 5.5

Código

- Code
Código
- 65.2119.050
 - 65.2119.055
 - 65.2119.060
 - 65.2119.065
 - 65.2119.070
 - 65.2119.075
 - 65.2119.080
 - 65.2119.085
 - 65.2119.090
 - 65.2119.095
 - 65.2119.100
 - 65.2119.105
 - 65.2119.110
 - 65.2119.115
 - 65.2119.120



Fresa Proximal



Fresa Distal



Instrumental parafuso compressão DR 6.5

Instrumental screw compression DR 6.5

Instrumental tornillo compresión DR 6.5



Cabo de Chave - Amarelo
Key Cable - Yellow
Cable de Llave - Amarillo
09.00.059



Ponta de Chave Sextavada 3.5mm
Hexagonal Wrench Tip 3.5mm
Punta de Llave Sextavada 3.5mm
1.30.05.02.45.219



Conjunto Macho Sistema Herbert 6.5
Male Set Herbert System 6.5
Conjunto Macho Sistema Herbert 6.5
1.34.05.65.45.170



Broca Ø2.4 DR 6.5
DR 2.4 Drill Ø6.5
Broca Ø2.4 DR6.5
05.24.001



Fio Guia Liso Ø 2.0 x 170mm
Smooth Guide Wire Ø2.0 x 170mm
Alambre Guia Liso Ø2.0 x 170mm
15.00.039



Conjunto Guia de Broca Duplo Sistema Herbert 6.5
Herbert Double Drill Guide Set 6.5
Conjunto Guia de Broca Doble Sistema Herbert 6.5
1.30.00.65.12.115



Fresa Canulada Sistema Herbert 6.5 Proximal
Proximal 6.5 Cannulated Milling Cutter Herbert System
Fresa Canulada Sistema Herbert 6.5 Proximal
07.00.049



Cabo "T" Engate Rápido - Amarelo
T Cable Quick Hitch - Yellow
Cabo "T" Enganche Rápido - Amarillo
1.00.00.03.48.070



Medidor de Profundidade do Fio Guia para Sistema Herbert 6.5
Wire Depth Gauge Guide for Herbert System 6.5
Medidor de Profundidad del Cable Guia para Sistema Herbert 6.5
1.11.05.50.11.095



Fresa Canulada Distal Sistema DR 6.5
Cannulated Distal Drill DR 6.5 System
Fresa Canulada Distal Sistema DR 6.5
07.00.071



Pinça de Redução SC
Reduction Clamp SC
Pinza de Reducción SC
1.42.05.30.07.138




Chave Sextavada Allen
Allen Wrench
Llave Sextavada
10.00.030



Pinça do Parafuso Sistema Herbert 6.5
Tweezers for Screw Herbert 6.5
Pinza para Tornillo Herbert 6.5
1.30.05.65.45.080



Caixa Sistema Herbert 6.5
Herbert System Set 6.5
Caja Sistema Herbert 6.5
1.00.00.65.84.455



Conjunto Disposição Sistema Herbert 6.5
Set System Arrangement Herbert 6.5
Conjunto Disposición Sistema Herbert 6.5
1.00.00.65.18.280





Conunto Estojo Sistema Herbert 6.5
Herbert System Case Kit 6.5
Conjunto Estuche Sistema Herbert 6.5
1.00.00.65.19.190

Parafuso de compressão DR 7.5

DR Compression Screw 7.5

Tornillo de compresión DR 7.5



Autocortante



Autocortante



Fio guia



Parafuso de Compressão DR Ø7.5

Ø7.5 DR Compression Screw
Tornillo de compresión DR Ø7.5

- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5
- Ø7.5 x 6.5

Código

Code
Codigo

- 75.2119.050
- 75.2119.055
- 75.2119.060
- 75.2119.065
- 75.2119.070
- 75.2119.075
- 75.2119.080
- 75.2119.085
- 75.2119.090
- 75.2119.095
- 75.2119.100
- 75.2119.105
- 75.2119.110
- 75.2119.115
- 75.2119.120



Fresa Proximal



Fresa Distal



Instrumental parafuso compressão DR 7.5

Instrumental screw compression DR 7.5

Instrumental tornillo compresión DR 7.5



Cabo de Chave - Amarelo
Key Cable - Yellow
Cable de Llave - Amarillo
09.00.059



Ponta de Chave Sextavada 3.5mm
Hexagonal Wrench Tip 3.5mm
Punta de Llave Sextavada 3.5mm
1.30.05.02.45.219



Conjunto Macho Sistema Herbert 7.5
Male Set Herbert System 7.5
Conjunto Macho Sistema Herbert 7.5
1.34.05.75.45.170



Broca Ø2.4 DR 6.5
DR 2.4 Drill Ø6.5
Broca Ø2.4 DR6.5
05.24.001



Fio Guia Liso Ø 2.0 x 170mm
Smooth Guide Wire Ø2.0 x 170mm
Alambre Guía Liso Ø2.0 x 170mm
15.00.039



Conjunto Guia de Broca Duplo Sistema Herbert 7.5
Herbert Double Drill Guide Set 7.5
Conjunto Guia de Broca Doble Sistema Herbert 7.5
1.30.00.75.12.115



Fresa Canulada Sistema Herbert 7.5 Proximal
Proximal 7.5 Cannulated Milling Cutter Herbert System
Fresa Canulada Sistema Herbert 7.5 Proximal
07.00.050



Cabo "T" Engate Rápido - Amarelo
T Cable Quick Hitch - Yellow
Cabo "T" Enganche Rápido - Amarillo
1.00.00.03.48.070



Medidor de Profundidade do Fio Guia para Sistema Herbert 6.5
Wire Depth Gauge Guide for Herbert System 6.5
Medidor de Profundidad del Cable Guía para Sistema Herbert 6.5
1.11.05.50.11.095



Fresa Canulada Distal Sistema DR 7.5
Cannulated Distal Drill DR 7.5 System
Fresa Canulada Distal Sistema DR 7.5
07.00.072



Pinça de Redução SC
Reduction Clamp SC
Pinza de Reducción SC
1.42.05.30.07.138




Chave Sextavada Allen
Allen Wrench
Llave Sextavada
10.00.030



Pinça do Parafuso Sistema Herbert 7.5
Tweezers for Screw Herbert 7.5
Pinza para Tornillo Herbert 7.5
1.30.05.75.45.080



Caixa Sistema Herbert 7.5
Herbert System Case Kit 7.5
Caja Sistema Herbert 7.5
1.00.00.75.84.455



Conjunto Disposição Sistema Herbert 7.5
Set System Arrangement Herbert 7.5
Conjunto Disposición Sistema Herbert 7.5
1.00.00.75.18.280



Conunto Estojo Sistema Herbert 7.5
Herbert System Case Kit 7.5
Conjunto Estuche Sistema Herbert 7.5
1.00.00.75.19.190



Tóride Indústria e Comércio Ltda.

0800.772.2258
+55 19 3862.5858

Av. Caetano Schincariol, nº 97, Pq. das Empresas
Mogi Mirim, São Paulo, Brasil, cep: 13803-340

www.torideimplantes.com.br
vendas@torideimplantes.com.br
sac@torideimplantes.com.br

Rev.: 2.8:001 - 3.5/4.5/6.5/7.5:003 - 2.5/5.5:002 Cód.: 002

Distribuidor autorizado